

**EMT**  
ELECTRIC TRAINS®  
HO TRAINS THAT DO MORE



**2009 No. 2**

# PROTO-SOUND® 3.0...

THE RICHEST SET OF FEATURES IN MODEL RAILROADING!

Whether you operate with a conventional transformer or in command mode with DCC or DCS™ (M.T.H.'s Digital Command System), the Proto-Sound 3.0 system found in every locomotive in this catalog offers more realism, more fun, and more variety than any other locomotive control system in any scale.

## VIVID ENGINE SOUNDS

Proto-Sound features digital recordings with CD-quality playback. We strive to make our sounds as authentic as possible,

using the characteristic whistle for a particular steam engine, for example. With the optional DCS system, you can tune each engine to your preference by individually adjusting bell, horn or whistle, and chuff volume.

## STATION SOUNDS

Proto-Sound passenger engines offer Passenger Station Proto-Effects™, a complete arrival and departure sequence that you can activate from your DCC or DCS controller. In most cases, the station sequence features an actual name train pulled by that particular engine. Freight engines include Freight Yard Proto-Effects, a symphony of freight terminal sounds.

## ATMOSPHERIC SOUNDS

Crew conversations, the whoosh of a steam engine opening its cylinder cocks, and a host of other atmospheric sounds play automatically at random when using a

conventional transformer — or can be activated manually from a DCC controller or the DCS handheld.

## EXTRAORDINARY SLOW SPEED CAPABILITY

Proto-Sound engines can throttle down as slow as three scale miles per hour, highball down the main line, and maintain any speed in between. With certain DCC controllers, and any DCS

controller, you can set engine speed in one-scale-mile-per-hour increments up to 120 smph. Go ahead, get out your stop watch and ruler and see how accurate our scale speeds are.

## UNMATCHED SPEED CONTROL

The Proto-Speed Control™ built into Proto-Sound 3.0 acts like the cruise control on a car, keeping your train moving at the speed you select, regardless of hills and curves. You can even switch off the speed control if you prefer.

## LIGHTING EFFECTS

Proto-Sound locomotives feature prototypical Rule 17 lighting, including a variety of realistic lighting effects. Depending on the locomotive, these may include constant-brightness headlights, illuminated number boards, lighted marker lamps, and alternating ditch lights. In DCS operation, many of these lighting effects can be individually controlled.

## MULTIPLE UNIT CAPABILITY

In DCS command mode, all locomotives set to the same speed — 37 scale miles per hour, for example — will move at virtually the same speed. This makes it easy to double or even triple-head nearly any combination of Proto-Sound 3.0 locomotives.



## SYNCHRONIZED CHUFF AND PUFF

Like a real steam engine, M.T.H. steamers feature puffs of smoke and steam chuff sounds synchronized with the drive wheels. Better than any other model train, an M.T.H. locomotive portrays the drama of a steam engine slowly chuffing and puffing as it pulls out of a station and gets up to speed.

## BRAKE SOUNDS

Engine brakes squeal whenever you throttle back sharply or pull into a station. In DCS mode, you can trigger the brake sound with the Brake button on the DCS handheld.

## FULL COMPATIBILITY WITH ALL HO OPERATING SYSTEMS

Right out of the box, every M.T.H. engine is compatible with all HO operating systems: conventional DC, DCC, and our own Digital Command System (DCS). No switches to flip or adjustments to make. Your Proto-Sound engine senses what kind of power is on the rails; just set it on the track and run it.

## BI-DIRECTIONAL COMMUNICATION

Proto-Sound 3.0 engines not only receive commands from the DCS system, they can report back vital information, trigger other devices to operate, and diagnose your layout's wiring and signal quality. Query a Proto-Sound 3.0 locomotive to find out how many scale miles it's run or how many hours it's been powered up. Check out the strength of the DCS signal on the track or measure the track voltage at a trouble spot. Measure the length of your track in scale miles. All of this is possible today, but only with a Proto-Sound 3.0-equipped locomotive when operated using the DCS Digital Command System.

## OPERATE 'EM ALL

In DCS command mode, unlike any other command system available today, you'll have one-touch control over every Proto-Sound 3.0-equipped locomotive at the same time. Imagine, with the ALL command, your DCS system will start-up every locomotive at the same time! Almost every DCS feature can be sent to all the active engines at once. Tell 'em to run at 10 scale miles per hour and they'll all start moving at the same time and at the same speed. Blow all their whistles at once, turn on or off their smoke, stop and reverse every active engine — all at the same time.

## DCC Features

All Proto-Sound 3.0-equipped locomotives can be controlled in command mode with any DCC-compliant command control system. While you won't have access to all of the incredible features of Proto-Sound 3.0, you will have full DCC command control. This means you can use your existing DCC controller to independently control your other DCC-equipped locomotives in addition to your Proto-Sound 3.0 locomotives on the same track at the same time.

When using a DCC controller, the following Proto-Sound 3.0 steam locomotive features are accessible:

### Steam Features\*

- Headlight
- Bell
- Whistle/Horn
- Start Up/Shut Down
- Rear Coupler
- Front Coupler
- Engine Sounds On/Off
- Sound Volume
- Smoke On/Off
- Forward Signal
- Reverse Signal
- Grade Crossing Signal
- Cab/All Light On/Off
- Smoke Volume
- Coupler Close
- One-Shot Doppler
- Feature Reset
- Idle Sequence 1
- Idle Sequence 2
- Idle Sequence 3
- Idle Sequence 4
- Brakes Auto/Off
- Cab Chatter Auto/Off
- Clickety-Clack Auto/Off
- Coupler Slack Sound
- Labor Chuff
- Drift Chuff
- Train Wreck
- PFA Activate/Cycle

\* Check your DCC Controller's manual to see how many features it can access. See page 20 for DCC diesel features.

## EASY LASHUPS AND HELPER ENGINES

Want to run lashups of locomotives like the prototype, with double- or triple-headed diesels or steam engines — or even steamers and diesels working together? No other command control system does this as easily or reliably as the M.T.H. Digital Command System (DCS). With the DCS handheld controller, you can operate any combination of M.T.H. locomotives together as a lashup. They'll run in perfect synchronization with each other at any speed. You can even set your lashup so only the lead engine's bell and whistle will sound, as in real life multiple-unit operation.

## Who is M.T.H.?

While our name may be new to HO model railroaders, M.T.H. Electric Trains is a seasoned model train manufacturer with a long history of innovation. In little more than a quarter century, M.T.H. has grown from a tiny business operated out of a spare bedroom into an 80+ employee company, headquartered in its own sprawling building in a suburb of Washington, D.C.

Over the past 29 years, we have cataloged nearly 15,000 different items in four scales: O gauge, One Gauge, HO gauge, and tinplate Standard Gauge. We are co-owners of two overseas facilities that make nothing but M.T.H. trains, and we use three other factories that are dedicated solely to our product line. This gives us more control of our manufacturing process and quality than many other train companies, whose products are often made in the same factories used by their competitors.

Our research and development team has received more than 10 patents on innovations in model railroading. We believe the Proto-Sound sound and control system found in every M.T.H. locomotive, in combination with our optional Digital Command System (DCS), makes our trains more realistic and more fun to operate than any other trains in model railroading.

Not all products depicted in this catalog are production models. In some cases, the items pictured may be models in HO scale, O scale, or another scale that have been altered digitally.

Each item's graphic features and content are subject to change after publication. All product features may be verified on their retail packages.

M.T.H. Electric Trains is in no way affiliated with any of the railroads featured in this catalog.

Products bearing Chicago and North Western, Denver & Rio Grande Western, MKT/Katy, Missouri Pacific/MoPac, Southern Pacific, Union Pacific, and Western Pacific names are made under trademark license from Union Pacific Railroad Company.



# www.mthHOtrains.com

See and hear 'em in action: Visit our site to see videos of M.T.H. locomotives in action, locate your nearest dealer, or learn more about our products.

# 4-6-6-4 Challenger



**Quillable Whistle:** Using a DCS controller (see page 44), you can “play” the whistle on any steam engine in this catalog, in the same manner that an engineer plays the whistle cord on a prototype steam engine.

The first Challengers were conceived in 1936 to replace the Union Pacific's fleet of three-cylinder 4-12-2s (shown elsewhere in this catalog). With a 50 mph top speed, the 4-12-2s had been the road's primary fast freight engines when built in 1926. But a decade later they were considered slow and difficult to maintain. So American Locomotive Works (ALCO) was commissioned to build what became one of the most successful fleets of articulated engines on any railroad. Forty Challengers were built in the 1930s. The pressure of wartime traffic brought an order for 65 more of these 70 mph greyhounds in 1942-44, with improvements based on lessons learned from the UP's 4-8-8-4 Big Boys. In service, the Challengers often complemented the Big Boys, speeding traffic over less rugged territory and handing it over to the Big Boys for the passage over Utah's Wasatch Mountains.

While most Challengers hauled freight, a number were assigned to passenger service in the Pacific Northwest, where they were converted to oil burners, equipped with smoke lifters ("wind wings" in UP parlance), and painted two-tone grey in 1946.

It was in a roundabout way that six Challengers ordered by the UP ended up hauling coal for the Clinchfield Railroad. In the midst of World War II, the War Production Board refused the Rio Grande's request to order new articulateds of its own design and instead diverted the last six Challengers in UP's order to the D&RGW - which turned up its nose at the locos and decided to lease them for the duration and return them after the war. In 1947, the War Assets Administration sold the orphan locos to the Atlantic Coast Line and Louisville & Nashville Railroads, which put the Challengers to work on their jointly-owned sub-

sidary, the Clinchfield, Carolina & Ohio. Thus six engines intended to speed over western deserts and mountains ended up thundering through Appalachia.

New for 2009, M.T.H. introduces the Challenger in versions for all three roads that rostered this engine - including UP No. 3985, which runs today in excursion service and is the largest operating steam locomotive in the world. While ours is not the first HO model of this massive prototype, we believe it is certainly the best, equipped with authentic articulated sounds, including the front and rear engines going in and out of sync; actual UP whistle sounds, which can be "quilled," just as a real engineer "plays" the whistle control; die-cast construction and optional traction tires for pulling power to match the prototype; slow-speed capability down to a steady 3 scale miles per hour; and dozens of added-on metal detail parts.



**NEW!** Union Pacific - 4-6-6-4 Challenger Steam Engine  
80-3161-1 Cab Number 3985 \$599.95

Union Pacific - 4-6-6-4 Challenger Steam Engine  
80-3162-1 Cab Number 3999 \$599.95



**NEW!** Union Pacific - 4-6-6-4 Challenger Steam Engine (Two-Tone Gray w/Silver Stripes)  
80-3159-1 Cab Number 3983 \$599.95



**NEW!** Union Pacific - 4-6-6-4 Challenger Steam Engine (Two-Tone Gray w/Yellow Stripes)  
80-3160-1 Cab Number 3977 \$599.95



**NEW!** Denver Rio Grande - 4-6-6-4 Challenger Steam Engine  
80-3158-1 Cab Number 3805 \$599.95



**NEW!** Clinchfield - 4-6-6-4 Challenger Steam Engine  
80-3157-1 Cab Number 673 \$599.95

## Features

- Die-Cast Boiler and Tender Body
- Die-Cast Metal Chassis
- Die-Cast Truck Sides
- Authentic Paint Scheme & Cab Numbers
- RP-25 Metal Wheels Mounted On Metal Axles
- Operating Lighted Marker Lights
- Constant Voltage Headlight
- Prototypical Rule 17 Lighting
- Detailed Truck Sides
- Detailed Cab Interior
- Powerful Balanced 12-Volt 5-Pole Precision Skew-Wound, Flywheel-Equipped Motor
- Wireless Drawbar w/Close Coupling Option
- (2) Kadee Compatible Scale Couplers
- Metal Handrails and Bell
- Metal Whistle
- Sprung Drive Wheels
- Synchronized Puffing ProtoSmoke™ System
- Locomotive Speed Control
- Locomotive Cab-To-Tender Deck Plate
- Detailed Tender Undercarriage
- Real Coal Load
- Operating Tender Back-up Light
- Interchangeable Traction Tire-Equipped Drive Wheels
- On-Board DCC Receiver
- Operates On Code 70, 83, & 100 Track
- Proto-Sound 3.0 With The Digital Command System Featuring Quillable Whistle and Passenger Station or Freight Yard Proto-Effects
- Unit Measures: 15 3/8" x 1 3/8" x 1 9/16"
- Operates On 22" Radius Curves

See a List of DCC Features on Page 1



# 9000-Class 4-12-2



SEE AND HEAR 'EM IN  
**ACTION**  
ON THE WEB

## FEATURING WORKING GRESLEY VALVE GEAR

For much of the twentieth century, the Union Pacific had a love affair with massive, bigger-than-life locomotives. Some examples, like the Challenger, Big Boy, and DDA40X “Centennial” diesel, were great successes, while others like the gas turbines were noble failures. One of the UP’s earliest and most successful big engines was the 9000-class 4-12-2, which boasted the longest rigid wheelbase of any American steam locomotive. Designed for fast freight service, the eighty-eight 9000-class engines were built by Alco in 1926-30, during a period when low-speed “drag” freight service — the norm on American railroads for

decades — was being largely supplanted by freight trains running at passenger speeds. The 9000s could haul a mile-long train at 50 mph, twice the speed of the Mallet articulateds they replaced.

Known as a “Union Pacific” type for their wheel arrangement unique to the U.P., the 9000s were also the most successful three-cylinder rod locomotives ever built in the United States. The third cylinder was placed between the two outside cylinders and drove a rod connected to the second axle, which was shaped like a crankshaft rather than a straight axle. A pair of hinged rods driven off the outer cylinders, and clearly visible on the pilot deck in front of the cylinders, operated the third cylinder’s valve gear — a design borrowed from English locomotives like the Flying Scotsman, and known as Gresley valve gear.

The rest of the middle cylinder’s machinery, however, was not so visible or accessible, and tended to receive less than the optimal amount of attention from shop crews. Despite the maintenance

headaches of the third cylinder, however, the 4-12-2s proved versatile and dependable. When faster and more powerful Challengers and Big Boys replaced them as the UP’s premier freight engine, the 9000s became the principal freight power on the Nebraska division, where they served until early 1956. Engine No. 9000 was saved from the scrapper and resides today at the Los Angeles County Fairplex in Pomona, CA.

New for 2009, the UP 9000-class joins the other historic locomotives that have graced the M.T.H. lineup. Featuring incredibly smooth operation as slow as 3 scale miles per hour and a correct six puffs and chuffs per driver revolution, our die-cast 4-12-2 boasts the wealth of added-on details you expect in an M.T.H. model — including operating third-cylinder Gresley valve gear on the pilot.



**Union Pacific - 4-12-2 9000 Steam Engine w/Proto-Sound 3.0**

- 80-3152-1 Cab Number 9000 \$549.95
- 80-3153-1 Cab Number 9010 \$549.95
- 80-3154-1 Cab Number 9503 \$549.95\*
- 80-3155-1 Cab Number 9512 \$549.95\*

\* Oregon Short Line Markings (UP subsidiary in Idaho and Oregon)

## Features

- Die-Cast Boiler and Tender Body
- Die-Cast Metal Chassis
- Authentic Paint Scheme & Cab Numbers
- RP-25 Metal Wheels Mounted On Metal Axles
- Operating Lighted Marker Lights
- Constant Voltage Headlight
- Prototypical Rule 17 Lighting
- Detailed Truck Sides
- Detailed Cab Interior
- Powerful Balanced 12-Volt 5-Pole Precision Skew-Wound, Flywheel-Equipped Motor
- (2) Kadee Compatible Scale Couplers
- Metal Handrails and Bell
- Metal Whistle
- Sprung Drive Wheels
- Synchronized Puffing ProtoSmoke System
- Locomotive Speed Control
- Locomotive Cab-To-Tender Deck Plate
- Detailed Tender Undercarriage
- Real Coal Load
- Working Gresley Valve Gear
- Interchangeable Traction Tire-Equipped Drive Wheels
- On-Board DCC Receiver
- Operates On Code 70, 83, & 100 Rail Curves
- Proto-Sound 3.0 With The Digital Command System Featuring Quillable Whistle With Freight Yard Proto-Effects
- Unit Measures: 14 3/8" x 2 5/16" x 1 5/8"
- Operates On 18" Radius Curves

See a List of DCC Features on Page 1



SEE AND HEAR 'EM IN  
**ACTION**  
ON THE WEB

[www.mthHotrains.com](http://www.mthHotrains.com)

**See and hear 'em in action:** Visit our site to see videos of M.T.H. locomotives in action, locate your nearest dealer, or learn more about our products.



**Pacific Fruit Express - 6-Car R40-2 Reefer Set**  
80-90003 \$169.95

**ADD 6-CAR REEFER SETS  
EACH CAR INDIVIDUALLY NUMBERED**

**Pacific Fruit Express - 6-Car R40-2 Reefer Set**  
80-90001 \$169.95  
80-90002 \$169.95

# 4-6-4 Empire State Express Hudson



Before it was eclipsed by the Twentieth Century Limited, the Empire State Express was the New York Central's flagship passenger run. In 1893, it was the Empire State Express, led by a hot-rod 4-4-0 with outlandishly large drivers, that became the first man-made vehicle to exceed 100 mph and made the New York Central famous around the world. Beyond the record-setting run, the Empire State Express gained recognition as a pioneer in high-speed rail service on its New York-Buffalo-Cleveland route. *Scientific American* noted in 1898 that the Empire State Express "opened the present remarkable era of fast, long distance express trains. [It] will always figure conspicuously in the annals of the world's railroads as being the first to maintain a regular schedule speed of over 52 miles an hour for an unprecedented distance and for runs of unprecedented length between stops."

6 But by the Roaring Twenties, most high-class rail travel was by Pullman, and coach trains on daytime runs, like the

Empire State Express, were often seen as a less desirable way to travel. High-quality coach travel made a comeback during the Depression, however, as railroads sought to attract customers by offering less-expensive fares combined with upgraded amenities. So it was that on December 7, 1941, with much fanfare, the New York Central launched a newly equipped Empire State Express with two Henry-Dreyfus-styled Hudsons and gleaming, streamlined Budd-built train sets. Passengers on the inaugural run were surprised at the scarcity of trackside observers — until they heard about the event halfway around the world that had overshadowed all other news that December Sunday.

The 1941 ESE was a train with one foot in the past and the other in the future. Its reserved-seat, stainless steel Budd coaches and parlor cars presaged the postwar streamliners, America's last hurrah of luxury passenger travel. But its two specially styled Hudsons, Nos. 5426 and 5429, were clearly a bridge — albeit a beautiful one — between a dying tech-

nology and cars that belonged behind a diesel. Designer Henry Dreyfus blended the stainless fluting of Budd's streamliners with his design for the 1938 Twentieth Century Hudsons, arguably among the best-looking streamlined steamers ever built. After the war, however, more powerful Niagaras bumped the ESE Hudsons to lesser trains, and by 1949 their streamlining had been removed.

Relive the brief but glorious era of streamlined steam on the Water Level Route with these superbly detailed locomotives. With their fully featured sound systems, Empire State Express passenger station announcements, and ability to start your train so smoothly you won't spill a drop of water in the diner, we believe these are surely the best HO models of these Hudsons ever built.





**NEW!** New York Central - 4-6-4 Empire State Express Steam Engine  
80-3169-1 Cab Number 5426 \$449.95


**SEE MATCHING PASSENGER CARS ON PAGE 34**



**NEW!** New York Central - 4-6-4 Empire State Express Steam Engine  
80-3170-1 Cab Number 5429 \$449.95

## Features

- Die-Cast Boiler and Tender Body
- Die-Cast Metal Chassis
- Die-Cast Truck Sides
- Authentic Paint Scheme & Cab Numbers
- RP-25 Metal Wheels Mounted On Metal Axles
- Constant Voltage Headlight
- Prototypical Rule 17 Lighting
- Detailed Truck Sides
- Detailed Cab Interior
- Powerful Balanced 12-Volt 5-Pole Precision Skew-Wound, Flywheel-Equipped Motor
- Wireless Drawbar w/Close Coupling Option
- (2) Kadee Compatible Scale Couplers
- Metal Handrails
- Metal Whistle
- Sprung Drive Wheels
- Synchronized Puffing ProtoSmoke® System
- Locomotive Speed Control
- Locomotive Cab-To-Tender Deck Plate
- Detailed Tender Undercarriage
- Real Coal Load
- Operating Tender Back-up Light
- Interchangeable Traction Tire-Equipped Drive Wheels
- On-Board DCC Receiver
- Operates On Code 70, 83, & 100 Track
- Proto-Sound 3.0 With The Digital Command System Featuring Quillable Whistle and Passenger Station Proto-Effects
- Unit Measures: 13 1/2" x 1 1/2" x 2 1/8"
- Operates On 18" Radius Curves



See a List of DCC Features on Page 1

# 4-6-4 Dreyfuss Hudson



SEE AND HEAR 'EM IN  
**ACTION**  
ON THE WEB

The 1938 edition of the Twentieth Century Limited is often regarded as the high water mark of the American passenger train. Thirty-six years to the day after passengers strode down a red plush carpet to the first run of the Century - inspiring the phrase "red carpet treatment" — the new incarnation of America's most famous train pulled out of Grand Central Station behind a homely boxcab electric. Thirty-three miles later, at Harmon, New York, the train was turned over to a streamlined Hudson with a prow reminiscent of a Roman gladiator's helmet, and the effect was complete. From engine to observation car, in every detail down to the dining car china and matchbook covers, the train had been styled by Henry Dreyfuss, a giant in the then-new profession of industrial design. The design was so handsome and striking that it became a symbol of the New York Central railroad and, later, of the entire Art Deco era. Decades later, *Time* magazine selected the locomotive as its single symbol of the twentieth century.

Advertised as "the first all-room train in America, 16 hours between New York and Chicago," the 1938 Century was the last word in luxury travel. Every afternoon, the famous red carpet was unfurled in Grand Central Station, welcoming passengers aboard. Taking aim at Pennsy's rival Broadway Limited, which had to cross the Allegheny Mountains to make the same trip, the New York Central promoted itself as "The Water Level Route... You Can Sleep."

Leading the train was one of the best examples of streamlining ever applied to a locomotive. Unlike Raymond Loewy's design for the Broadway's Pacifics, which largely hid the engine under a streamlined shroud, Dreyfuss' styling clung tightly to the locomotive, glorifying rather than hiding its shape and boldly displaying the wheel and rod motion that make a steam engine so exciting. No wonder the Dreyfuss Hudson has been a favorite image of graphic artists ever since.

New for 2009, M.T.H. introduces the most fun-to-operate HO model of this landmark locomotive ever made. Our Dreyfuss Hudson is offered in several prototypical versions with either the original 1938 paint scheme with blue edging on the stripes, or the cleaner, more simplified 1940 scheme. Play the departure announcements for the Twentieth Century Limited and begin your trip so smoothly that your passengers won't realize they're moving. Listen to the chuff sounds and synchronized puffs of smoke accelerate as your train picks up speed. If you're operating with the M.T.H. DCS system, you can even make your own signature sounds with the quillable whistle feature. In model railroading, it doesn't get any better than this.




**New York Central** - 4-6-4 Dreyfuss Steam Engine  
 80-3165-1 (Boxpox drivers/plain bearings on side rods) \$449.95  
 Cab Number 5449 (1938 paint scheme)  
**New York Central** - 4-6-4 Dreyfuss Steam Engine  
 80-3166-1 (Boxpox drivers/plain bearings on side rods) \$449.95  
 Cab Number 5448 (1938 paint scheme)

**NEW!**

**New York Central** - 4-6-4 Dreyfuss Steam Engine  
 80-3167-1 (Boxpox drivers/plain bearings on side rods) \$449.95  
 Cab Number 5445 (1940 paint scheme)  
**New York Central** - 4-6-4 Dreyfuss Steam Engine  
 80-3168-1 (Boxpox drivers/plain bearings on side rods) \$449.95  
 Cab Number 5446 (1940 paint scheme)

**NEW!**

**ADD MATCHING  
 PASSENGER CARS  
 SEE PAGE 36**



## Features

- Die-Cast Boiler and Tender Body
- Die-Cast Metal Chassis
- Die-Cast Truck Sides
- Authentic Paint Scheme & Cab Numbers
- RP-25 Metal Wheels Mounted On Metal Axles
- Constant Voltage Headlight
- Prototypical Rule 17 Lighting
- Detailed Truck Sides
- Detailed Cab Interior
- Powerful Balanced 12-Volt 5-Pole Precision Skew-Wound, Flywheel-Equipped Motor
- Wireless Drawbar w/Close Coupling Option
- (2) Kadee Compatible Scale Couplers
- Metal Handrails
- Metal Whistle
- Sprung Drive Wheels
- Synchronized Puffing ProtoSmoke System
- Locomotive Speed Control
- Locomotive Cab-To-Tender Deck Plate
- Detailed Tender Undercarriage
- Real Coal Load
- Operating Tender Back-up Light
- Interchangeable Traction Tire-Equipped Drive Wheels
- On-Board DCC Receiver
- Operates On Code 70, 83, & 100 Track
- Proto-Sound 3.0 With The Digital Command System Featuring Quillable Whistle and Passenger Station Proto-Effects
- Unit Measures: 13 1/2" x 1 1/2" x 2 1/8"
- Operates On 18" Radius Curves

See a List of DCC Features on Page 1



**NEW!** **New York Central** - 4-6-4 Dreyfuss Steam Engine  
 80-3163-1 (Scullin drivers/roller bearings on side rods) \$449.95  
 Cab Number 5452 (1940 paint scheme)

**New York Central** - 4-6-4 Dreyfuss Steam Engine  
 80-3164-1 (Scullin drivers/roller bearings on side rods) \$449.95  
 Cab Number 5453 (1940 paint scheme)

# Norfolk and Western Class J 4-8-4



SEE AND HEAR 'EM IN  
**ACTION**  
ON THE WEB

## DIE-CAST METAL CONSTRUCTION

A visit to the Norfolk & Western in the early 1950s was like a scene from *Jurassic Park*: prehistoric beasts romping in their natural mountain habitat. At a time when other roads were letting their remaining steam engines rot away and giving them minimal service in dirty, dingy, soon-to-close facilities, the N&W was still running a first-class steam operation and even building new power. With its main line through some of the nation's richest coalfields, it was still betting on the future of steam; as late as 1955, the N&W didn't roster a single diesel. The majority of traffic was handled by what N&W fans call the "holy trinity of steam": the massive Y6 2-8-8-2; the articulated greyhound Class A; and the N&W's glamour girl, the streamlined Class J.

The Class J 4-8-4 was an engine of quiet superlatives. Handsome, powerful (5100 hp), and, as a test on the Pennsylvania Railroad proved, capable of hauling 15 cars at

110 mph, it was designed and styled not by one of the big three builders (ALCo, Baldwin, and Lima) or a famous designer like Raymond Loewy or Henry Dreyfuss, but by the N&W's home-grown team of designers and craftsmen at the road's Roanoke, Virginia shops. For power and quick acceleration through mountainous territory, and to make room for the largest possible boiler, they equipped the streamlined J with 70" drivers — unusually small for a 4-8-4 and fully 10" smaller than the Southern Pacific's Daylight GS-4 of the same wheel arrangement.

Built in several groups between 1941 and 1950, a mere fourteen J's were able to handle 80% of the N&W's passenger traffic, because their designers addressed one of steam power's key weaknesses: down time for maintenance and repairs. Equipped with Timken roller bearings on all axles and rods, Timken-designed lightweight pistons and rods,

and an automatic lubrication system that reached more than 200 points including the bell bearings, the Js were designed to go a quarter-million miles between scheduled shop visits. Like a race car, they were engineered for quick pit stops: in less than an hour, a J could be fully serviced, lubricated, filled with coal and water and ready for its next dash over the road's 676-mile main line between Norfolk and Cincinnati, hauling the deluxe daylight *Powhatan Arrow* or the overnight *Pocahontas*.

New for 2009, our N&W J is more fun to operate than any previous version of this magnificent locomotive, with its N&W whistle, passenger station announcements, synchronized chuff and puffing smoke, and speed control so smooth you won't spill the water in the diner. For more information on our superbly detailed model and its prototype, including surviving J No. 611, visit [www.mthOTrains.com](http://www.mthOTrains.com).



Engines 600-604 were part of the first group of J's built in 1941, while engines 611-613 were the last engines built, in 1950. Differences between the two groups of models include spoked vs. solid pilot wheels, valve gear linkage, shape of tender deck, and other prototypical details.

<b>Norfolk &amp; Western - 4-8-4 J Steam Locomotive w/Proto-Sound 3.0</b>		
80-3148-1	Cab Number 600	\$449.95
80-3149-1	Cab Number 603	\$449.95
80-3150-1	Cab Number 604	\$449.95



<b>Norfolk &amp; Western - 4-8-4 J Steam Locomotive w/Proto-Sound 3.0</b>		
80-3145-1	Cab Number 613	\$449.95
80-3146-1	Cab Number 611	\$449.95
80-3147-1	Cab Number 612	\$449.95

## Features

- Die-Cast Boiler and Tender Body
- Die-Cast Metal Chassis
- Authentic Paint Scheme & Cab Numbers
- RP-25 Metal Wheels Mounted On Metal Axles
- Operating Lighted Marker Lights
- Constant Voltage Headlight
- Prototypical Rule 17 Lighting
- Detailed Truck Sides
- Detailed Cab Interior
- Powerful Balanced 12-Volt 5-Pole

- Precision Skew-Wound, Flywheel-Equipped Motor
- (2) Kadee Compatible Scale Couplers
- Metal Handrails and Bell
- Metal Whistle
- Sprung Drive Wheels
- Synchronized Puffing ProtoSmoke System
- Locomotive Speed Control
- Locomotive Cab-To-Tender Deck Plate
- Detailed Tender Undercarriage
- Real Coal Load

- Operating Tender Back-up Light
- Interchangeable Traction Tire-Equipped Drive Wheels
- On-Board DCC Receiver
- Operates On Code 70, 83, & 100 Track
- Proto-Sound 3.0 With The Digital Command System Featuring Quillable Whistle With Passenger Station Proto-Effects
- Unit Measures: 15 3/8" x 1 1/2" x 2 1/4"
- Operates On 18" Radius Curves

## See Matching Passenger Cars on Page 38

**Quillable Whistle:** Using a DCS controller (see page 44), you can "play" the whistle on any steam engine in this catalog, in the same manner that an engineer plays the whistle cord on a prototype steam engine.

# 2-8-2 USRA Light Mikado



During World War I, Uncle Sam nationalized the railroads when they proved unequal to the task of moving massive amounts of men and materiel for the war effort. The agency that ran the trains was the United States Railroad Administration, or USRA, and one of its chief accomplishments was the creation of 12 steam engine designs that lasted for decades. According to the American Society of Mechanical Engineers, USRA locomotives were "the first successful standardization of American motive power" — and the only standard designs until the diesel era.

The most popular of the USRA designs was the 2-8-2 Mikado, which was heavy main line steam power in the World War I era. USRA Mikados came in a light version with a smaller axle loading for lighter rail and a heavy version for use on heavier rail. Under the USRA, 625 Light Mikes were turned out by the "Big Three" American locomotive builders — Alco, Baldwin, and Lima — representing more than a third of all government-built engines.

Constructed with dozens of added-on detail parts, the USRA Light Mikado joins the M.T.H. HO lineup. While other manufacturers have offered fine models of this classic engine, we

believe none matches the combination of accurate details, sound quality, slow speed performance, and synchronized puffing smoke featured by our die-cast model.

For its initial run, we offer the Light Mike in two undecorated versions and decorated and correctly numbered for four railroads, with road-specific details including accurate, legible builders plates; footboard or boiler-tube pilot; smokebox or boiler-top mounted bell; and high-mounted or centered headlight. Each road name is offered in three engine numbers. For the B&O, we offer the first USRA locomotive ever built, No. 4500, and two of the additional 99 Light Mikes the B&O received from the government and rostered as Class Q-3. For the Pennsylvania Railroad, we offer three of the five USRA Mikes the Pennsy kept, painted in near-black PRR Brunswick Green; the other 33 Mikes it received were sent packing in short order and wound up on the Missouri Pacific and the Frisco. Our New York Central models represent three of the 143 USRA-built members of the road's Class H-6. And our Union Pacific engines are replicas of USRA copies ordered by the road in the 1930s. We invite you to check out these extraordinary locomotives at your M.T.H. dealer, or see them perform and learn more about USRA Mikes online at [www.mthtrains.com](http://www.mthtrains.com).

## Features

- Die-Cast Boiler and Tender Body
- Die-Cast Metal Chassis
- Authentic Paint Scheme & Cab Numbers
- RP-25 Metal Wheels Mounted On Metal Axles
- Operating Lighted Marker Lights
- Constant Voltage Headlight
- Prototypical Rule 17 Lighting
- Detailed Truck Sides
- Detailed Cab Interior
- Powerful Balanced 12-Volt 5-Pole Precision Skew-Wound, Flywheel-Equipped Motor
- (2) Kadee Compatible Scale Couplers
- Metal Handrails and Bell
- Metal Whistle
- Sprung Drive Wheels
- Synchronized Puffing
- ProtoSmoke System
- Locomotive Speed Control
- Locomotive Cab-To-Tender Deck Plate
- Detailed Tender Undercarriage
- Interchangeable Traction Tire-Equipped Drive Wheels
- On-Board DCC Receiver
- Operates On Code 70, 83, & 100 Track
- Real Coal Load
- Proto-Sound 3.0 With The Digital Command System Featuring Freight Yard Proto-Effects
- Unit Measures: 12" x 1 3/8" x 1 9/16"
- Operates On 18" Radius Curves



**Pennsylvania - 2-8-2 USRA Light Mikado w/Proto-Sound 3.0**

- |           |                 |          |
|-----------|-----------------|----------|
| 80-3140-1 | Cab Number 9630 | \$449.95 |
| 80-3141-1 | Cab Number 9627 | \$449.95 |
| 80-3142-1 | Cab Number 9631 | \$449.95 |
- Footboard pilot, high-mounted headlight, boiler-top bell



**Union Pacific - 2-8-2 USRA Light Mikado w/Proto-Sound 3.0**

- |           |                 |          |
|-----------|-----------------|----------|
| 80-3134-1 | Cab Number 2498 | \$449.95 |
| 80-3135-1 | Cab Number 2495 | \$449.95 |
| 80-3136-1 | Cab Number 2486 | \$449.95 |
- Boiler-tube pilot, centered headlight, bell mounted on smokebox



**New York Central - 2-8-2 USRA Light Mikado w/Proto-Sound 3.0**

- |           |                 |          |
|-----------|-----------------|----------|
| 80-3137-1 | Cab Number 6104 | \$449.95 |
| 80-3138-1 | Cab Number 6109 | \$449.95 |
| 80-3139-1 | Cab Number 6106 | \$449.95 |
- Footboard pilot, centered headlight, bell mounted on smokebox



**Baltimore & Ohio - 2-8-2 USRA Light Mikado w/Proto-Sound 3.0**

- |           |                 |          |
|-----------|-----------------|----------|
| 80-3131-1 | Cab Number 4500 | \$449.95 |
| 80-3132-1 | Cab Number 4519 | \$449.95 |
| 80-3133-1 | Cab Number 4515 | \$449.95 |
- Boiler-tube pilot, centered headlight, bell mounted on smokebox

**Black Undecorated - 2-8-2 USRA Light Mikado w/Proto-Sound 3.0**  
 80-3143-1 w/ Low Mounted Headlight \$449.95  
 Boiler-tube pilot, centered headlight, bell mounted on smokebox

**Black Undecorated - 2-8-2 USRA Light Mikado w/Proto-Sound 3.0**  
 80-3144-1 w/ High Mounted Headlight \$449.95  
 Footboard pilot, high-mounted headlight, boiler-top bell

**Quillable Whistle:** Using a DCS controller (see page 44), you can “play” the whistle on any steam engine in this catalog, in the same manner that an engineer plays the whistle cord on a prototype steam engine.



# NYC L-3 and L-4 Mohawks



L-4b shown

While its competitors needed monstrous engines to conquer mountain ranges, the New York Central did not. Its Water Level Route from New York City to Chicago was a nearly level raceway built along rivers and the Lake Erie shoreline, and the Central's mainline steam engines were racehorses bred for speed on that route. By the early 1930s, the NYC relied on two locomotives for premier services: the 4-6-4 Hudson for its Great Steel Fleet of passenger trains and the nation's largest stable of 4-8-2s for fast freight. Although the 4-8-2 was labeled a Mountain on any other railroad, that would hardly do on the Water Level Route, so the Central named its engines Mohawks after one of the rivers its rails followed.

As the Depression waned in the late 1930s and traffic picked up, the need arose for a dual service locomotive that could augment the Hudson fleet and hustle freight as well, and the class L-3 Mohawks were developed. With over 5000 horsepower on tap, they were equally at home pulling the 20th Century Limited or more than 100 freight cars. Class L-3 engines were delivered in three subclasses. ALCo-built class L-3a Mohawks were dual service steamers with roller bearings on all axles. Class L-3b engines, built by both ALCo and Lima, and class L-3c built by ALCo, were originally intended for fast freight service. Lima-built L-3b's carried a cylindrical Elesco feedwater heater atop their smokebox fronts, while all other L-3's had Worthington feedwater heaters.

The pinnacle of Mohawk development was Lima-built wartime class L-4, with larger 72" drivers. Tenders on the final L-4's were upgraded with an expansion cistern behind the coal bunker, so water could be scooped at up to 75 mph without blowing the tender apart. Famed author Alvin Stauffer noted that "The dual purpose concept had really taken hold on the Central and the wartime service the Mohawks performed was almost beyond belief. It was nothing for them to come in on a heavy freight drag, be serviced, and leave a few hours later at the head of one of the Great Steel Fleet. Whenever possible, the heavy War Trains were assigned to the L-4 Mohawks." Soon after the war, L-4 and L-3 engines were retrofitted with smoke deflectors (a.k.a. "elephant ears") to deflect smoke from the engineer's line of vision. Whether they worked, and whether they improved or ruined the look of the Central's premier freighter, remains a subject of debate among railfans to this day.

While the M.T.H. Mohawk is not the first HO model of this NYC racehorse, we believe it is the best — offering accurate detail for each subclass of L-3 and L-4; smooth performance from a three-scale-mile-per-hour crawl to full throttle; "cruise control" for steady speeds regardless of curves, switches, and grades; a wide range of steam locomotive, crew, and station sounds; prototypical Rule 17 lighting; and puffing smoke synchronized with driver revolutions at a correct four chuffs per revolution. L-3c and L-4b models are equipped with removable elephant ears, so you can model them before or after smoke deflectors were applied.

## Features

- Die-Cast Boiler and Tender Body
- Die-Cast Metal Chassis
- Authentic Paint Scheme & Cab Numbers
- RP-25 Metal Wheels Mounted On Metal Axles
- Operating Lighted Marker Lights
- Constant Voltage Headlight
- Prototypical Rule 17 Lighting
- Detailed Truck Sides
- Detailed Cab Interior
- Powerful Balanced 12-Volt 5-Pole Precision Skewed Flywheel Equipped Motor
- (2) Kadee Compatible Scale Couplers
- Metal Handrails and Decorative Bell
- Decorative Metal Whistle
- Sprung Drive Wheels
- Synchronized Puffing ProtoSmoke System
- Locomotive Speed Control
- Locomotive Cab To Tender Deck Plate
- Detailed Tender Undercarriage
- Real Coal Load
- Operating Tender Back-up Light
- Interchangeable Traction Tire-Equipped Drive Wheels
- On-Board DCC Receiver
- Operates On Code 70, 83, & 100 Rail Curves
- Proto-Sound 3.0 With The Digital Command System Featuring Passenger Station Proto-Effects
- Unit Measures: 15 3/8" x 1 3/8" x 1 9/16"
- Operates On 18" Radius Curves

See a List of DCC Features on Page 1





**New York Central - 4-8-2 L-3a Mohawk Steam Engine**  
80-3123-1 w/ Proto-Sound 3.0, Featuring Passenger Station Announcements \$449.95  
Cab Number 3006



**New York Central - 4-8-2 L-3b Mohawk Steam Engine**  
80-3124-1 w/ Proto-Sound 3.0, Featuring Freight Yard Sounds \$449.95  
Cab Number 3037



**New York Central - 4-8-2 L-3c Mohawk Steam Engine**  
80-3125-1 w/ Proto-Sound 3.0, Featuring Passenger Station Announcements \$449.95  
Cab Number 3064

Includes removable  
smoke deflectors



**New York Central - 4-8-2 L-4a Mohawk Steam Engine**  
80-3126-1 w/ Proto-Sound 3.0, Featuring Passenger Station Announcements \$449.95  
Cab Number 3117




**New York Central - 4-8-2 L-4b Mohawk Steam Engine**  
80-3127-1 w/ Proto-Sound 3.0, Featuring Passenger Station Announcements \$449.95  
Cab Number 3125

Includes removable  
smoke deflectors



# Anatomy of an M.T.H. Diesel Locomotive

Look closely at any M.T.H. locomotive and you'll find a combination of superb detailing, prototype accuracy, realistic sound effects, and smooth, dependable operation that is unmatched by any other manufacturer. The Electro-Motive Diesel SD70ACe shown here, for example, features a wealth of separately-added detail parts and tooling that can be customized to produce different, accurate versions for a variety of railroads—by changing the location of vents, headlights, side panels, and other locomotive details.



**Includes Remotely Activated Proto-Coupler™ and interchangeable magnetic coupler, both Kadee® Compatible**



**Directionally Controlled Headlights**

**Illuminated Number Boards**

**Windshield wipers**

**Sand Filler**





**Shock Absorber**

**Brake Cylinders & Air Lines**



**Authentic Paint Scheme**

**Die-Cast Air Tanks and Fuel Tank**



# SD70ACe Diesel



## Featuring Remotely Controlled Couplers: No Uncoupling Track Required

See Page 19

The SD70ACe is Electro-Motive Diesel's hope for the future. While designed to meet the Environmental Protection Agency's Tier-2 emissions requirements that took effect on January 1, 2005, this replacement for the SD70MAC also has a higher purpose: to recapture the lead in North American locomotive sales that EMD lost to General Electric in 1987.

Under the hood beats a third-generation model 710 diesel with 4300 horsepower; only slight modifications were needed to make the existing model 710 meet new emission standards. With 5000 such motors in service worldwide and a reputation for dependability, EMD reasoned that shop crews would prefer familiar technology. Other than the prime mover, however, virtually every element of the SD70ACe has been re-thought to create a

21st century locomotive. Ergonomics were a prime consideration. The engine's angular nose offers the crew far better visibility than most other locomotives, and the cab is comfortable for engineers of almost any size. Digital screens provide a range of information on what is happening both inside the locomotive and out on the road. The cab easily accommodates a crew of three — an important factor in a modern world without cabooses. And there is, of course, a cupholder for the engineer.

Our first-ever HO scale model of the SD70ACe is offered in a large variety of accurate paint schemes including the six-engine Union Pacific heritage fleet. Each one-of-a-kind heritage fleet locomotive honors a "fallen flag" railroad that is now part of the Union Pacific system. Our highly detailed model includes a broader range of features than

you'll find on any other HO scale diesel, including flashing ditch lights; smooth performance from a three-scale-mile-per-hour crawl to full throttle; "cruise control" for steady speeds regardless of curves, switches and grades; built-in decoders for DCC and the M.T.H. Digital Command System (DCS); and a full range of sounds recorded from a prototype Union Pacific SD70ACe.

### Prototype Accuracy:

If you're looking for modern motive power that's accurately detailed, smooth running, and a great deal of fun to operate, it doesn't get any better than this. The M.T.H. HO SD70ACe and SD70M-2 models are constructed from 60 different molds that can be configured to produce 15 different variations, ensuring that each of the railroads we build will be accurate in appearance and just like their real-life counterparts.



**CSX - SD70ACe Diesel Engine**  
 80-2001-1 w/Proto-Sound 3.0 \$249.95  
 Cab Numbers 4833, 4836 & 4839



**BNSF - SD70ACe Diesel Engine**  
 80-2003-1 w/Proto-Sound 3.0 \$249.95  
 Cab Numbers 9371, 9370 & 9374



**EMD Demonstrator - SD70ACe Diesel Engine**  
 80-2004-1 w/Proto-Sound 3.0 \$249.95  
 Cab Numbers GM70 (Off-White Steps) GM71 & GM73 (Blue Steps)



**Kansas City Southern- SD70ACe Diesel Engine**  
 80-2002-1 w/Proto-Sound 3.0 \$249.95  
 Cab Numbers 4030, 4031 & 4051



**Union Pacific - SD70ACe Diesel Engine**  
 80-2006-1 w/Proto-Sound 3.0 \$249.95  
 Cab Number 8321



**George H. Bush - SD70ACe Diesel Engine**  
 80-2013-1 w/Proto-Sound 3.0 \$249.95  
 Cab Number 4141



**Montana Rail Link - SD70ACe Diesel Engine**  
 80-2005-1 w/Proto-Sound 3.0 \$249.95  
 Cab Numbers 4304, 4308 & 4311



**Union Pacific - SD70ACe Diesel Engine w/Proto-Sound® 3.0**  
 80-2023-1 Cab No.8444 \$249.95  
 80-2024-1 Cab No.8439 \$249.95  
 80-2025-1 Cab No.8453 \$249.95

## Features

- Intricately Detailed ABS Body
- Authentic Paint Schemes & Cab Numbers
- Detailed Truck Sides, Pilots and Fuel Tank
- Die-Cast Metal Chassis
- Detachable Snow Plow
- Authentic sounds recorded from a UP SD70ACe
- Directionally Controlled Headlights
- RP-25 Metal Wheels Mounted On Metal Axles
- Powerful 5-Pole Precision Flywheel-Equipped Motor
- Locomotive Speed Control in Scale MPH Increments
- Lighted Cab Interior With 2 Cab Figures
- Illuminated Number Boards
- Operating Ditch Lights
- (2) Scale Kadee®-Compatible Remotely Controlled Proto-Couplers™ and (2) Optional Kadee-Compatible Magnetic Couplers
- Onboard DCC Receiver
- Operates On Code 70, 83, & 100 Rail
- Operates on 18" Radius Curves
- Unit Measures:  
 10 9/16"L x 1 7/16"W x 2 3/16"H

### Remotely Controlled Couplers

Pick up or drop off a cut of cars or an entire train — anywhere on your layout — by opening the front or rear coupler remotely, using a DCC or DCS controller.

*Images Shown are O-Scale Models.*

# SD70ACe UP Heritage Fleet



**Featuring Remotely  
Controlled Couplers: No Uncoupling Track Required**

See Page 19

## DCC Diesel Features\*

- Headlight
- Bell
- Whistle/Horn
- Start Up/Shut Down
- Rear Coupler
- Front Coupler
- Engine Sounds On/Off
- Sound Volume
- Smoke On/Off
- Forward Signal
- Reverse Signal
- Grade Crossing Signal
- Cab/All Light On/Off
- Extended Start Up
- Extended Shut Down
- Rev Up
- Rev Down
- Coupler Close
- One-Shot Doppler
- Feature Reset
- Idle Sequence 1
- Idle Sequence 2
- Idle Sequence 3
- Idle Sequence 4
- Ditch Lights Auto/On/Off
- Brakes Auto/Off
- Cab Chatter Auto/Off
- Clickety-Clack Auto/Off
- Coupler Slack Sound
- Train Wreck
- PFA Activate/Cycle





**Missouri Pacific - SD70ACe Diesel Engine**  
80-2007-1 w/Proto-Sound 3.0 \$249.95  
Cab Number 1982

**Western Pacific - SD70ACe Diesel Engine**  
80-2008-1 w/Proto-Sound 3.0 \$249.95  
Cab Number 1983



**Katy - SD70ACe Diesel Engine**  
80-2009-1 w/Proto-Sound 3.0 \$249.95  
Cab Number 1988

**Denver & Rio Grande Western- SD70ACe Diesel Engine**  
80-2010-1 w/Proto-Sound 3.0 \$249.95  
Cab Number 1989



**Chicago & North Western - SD70ACe Diesel Engine**  
80-2011-1 w/Proto-Sound 3.0 \$249.95  
Cab Number 1995



**Southern Pacific - SD70ACe Diesel Engine**  
80-2012-1 w/Proto-Sound 3.0 \$249.95  
Cab Number 1996

# Electro-Motive Diesel SD70M-2



With a wave of consolidation behind it, North American railroading is once again a good business to be in. Freight traffic is booming. Locomotive orders are coming in at a record pace from the Big Six roads that dominate rail transportation on the continent: Union Pacific, BNSF, CSX, Norfolk Southern, Canadian National, and Canadian Pacific. And the two remaining diesel builders, EMD and GE, are locked in a battle to become *the* locomotive supplier for the 21st century.

The standard bearers for EMD, newly independent and no longer a division of General Motors, are its 70 Series road freight engines, the SD70M-2 shown here and the SD70ACe detailed on page 14. Both locomotives are powered by a two-cycle, 16-cylinder, 4300-horsepower model 710 prime mover and have a top speed of 70 mph. The biggest differ-

ence between the siblings is what's under the floor: traditional DC traction motors in the SD70M-2's trucks and AC traction motors in the SD70ACe. While AC traction motors put more tractive effort on the rails and enable an SD70ACe to start a heavier train with the same horsepower, that additional capability comes at a cost. AC-powered locomotives are both more expensive and more electrically complex than engines with DC traction motors, which most diesels have used since the 1940s. For that reason, the Norfolk Southern and Canadian National have found the SD70M-2 more suitable to their needs, and both roads roster large DC fleets. Regional railroad Florida East Coast has been another DC-power advocate.

M.T.H. introduces our accurately detailed SD70M-2 as a companion to the SD70ACe. Thanks to our unique Proto-Sound 3.0 sound and control system, these models offer a broader range of features than you'll find on any other HO scale diesel, including flashing ditch lights; smooth performance from a three-scale-mile-per-hour crawl to full throttle; "cruise control" for steady speeds regardless of curves, switches and grades; built-in decoders for DCC and the M.T.H. Digital Command System (DCS); and a full range of prototypical EMD sounds.

#### Did You Know?

Fully loaded, a 70 Series locomotive carries 4,900 gallons of diesel fuel, 420 gallons of lube oil, and 275 gallons of cooling water.





**Norfolk Southern - SD70M-2 Diesel Engine w/Proto-Sound 3.0**

80-2014-1	Cab No. 2649	\$249.95
80-2015-1	Cab No. 2651	\$249.95
80-2016-1	Cab No. 2654	\$249.95



**Florida East Coast - SD70M-2 Diesel Engine w/Proto-Sound 3.0**

80-2020-1	Cab No. 100	\$249.95
80-2021-1	Cab No. 102	\$249.95
80-2022-1	Cab No. 103	\$249.95



**Florida East Coast - SD70M-2 Diesel Engine w/Proto-Sound 3.0**

80-2029-1	Cab No. 106	\$249.95
80-2030-1	Cab No. 105	\$249.95
80-2031-1	Cab No. 107	\$249.95



**Canadian National - SD70M-2 Diesel Engine w/Proto-Sound 3.0**

80-2026-1	Cab No. 8000	\$249.95
80-2027-1	Cab No. 8010	\$249.95
80-2028-1	Cab No. 8023	\$249.95



**EMD Demonstrator - SD70M-2 Diesel Engine w/Proto-Sound 3.0**

80-2017-1	Cab No. 74	\$249.95
80-2018-1	Cab No. 75	\$249.95
80-2019-1	Cab No. 76	\$249.95

See Page 20 for Features

**Remotely Controlled Couplers**

Pick up or drop off a cut of cars or an entire train — anywhere on your layout — by opening the front or rear coupler remotely, using a DCC or DCS controller.

# USRA 55-Ton Steel Twin Hopper

When America's railroads were nationalized during World War I, the United States Railroad Administration created 12 standard locomotive designs — including the USRA Mikado shown elsewhere in this catalog — and 5 standardized freight cars. One of the most enduring car designs was the 55-ton all-steel hopper, of which 22,000 cars were delivered by the USRA to 23 railroads. After the war, the American Railroad Association adopted the design as its standard practice, and near-clones were built by the tens of thousands — the majority of which worked long enough to help win the next World War and contribute to the prosperity that followed. New for 2009, M.T.H. announces an accurate model of the USRA hopper that was seen throughout the country for decades, in the liveries of five railroads that received original government allotments.



**New York Central** - USRA 55-Ton Steel Twin Hopper

80-97003 \$29.95

**New York Central** - 6-Car USRA 55-Ton Steel Twin Hopper Car Set

80-90010 \$169.95

**New York Central** - 6-Car USRA 55-Ton Steel Twin Hopper Car Set

80-90011 \$169.95



**Pennsylvania** - USRA 55-Ton Steel Twin Hopper

80-97004 \$29.95

**Pennsylvania** - 6-Car USRA 55-Ton Steel Twin Hopper Car Set

80-90012 \$169.95

**Pennsylvania** - 6-Car USRA 55-Ton Steel Twin Hopper Car Set

80-90013 \$169.95



**Chesapeake & Ohio** - USRA 55-Ton Steel Twin Hopper

80-97002 \$29.95

**Chesapeake & Ohio** - 6-Car USRA 55-Ton Steel Twin Hopper Car Set

80-90008 \$169.95

**Chesapeake & Ohio** - 6-Car USRA 55-Ton Steel Twin Hopper Car Set

80-90009 \$169.95



**CCC & St. Louis RY** - USRA 55-Ton Steel Twin Hopper

80-97001 \$29.95

**CCC & St. Louis RY** - 6-Car USRA 55-Ton Steel Twin Hopper Car Set

80-90006 \$169.95

**CCC & St. Louis RY** - 6-Car USRA 55-Ton Steel Twin Hopper Car Set

80-90007 \$169.95



**Clinchfield** - USRA 55-Ton Steel Twin Hopper

80-97005 \$29.95

**Clinchfield** - 6-Car USRA 55-Ton Steel Twin Hopper Car Set

80-90004 \$169.95

**Clinchfield** - 6-Car USRA 55-Ton Steel Twin Hopper Car Set


80-90005 \$169.95



# USRA 55-Ton Steel Twin Hopper

**I** = Imagination and Fun

While we take pride in the prototype accuracy of most of our HO products, you will find items in this and future catalogs bearing an **I** designation (and item numbers with an "81" prefix) that may stray from historical accuracy. On these pages, we present **I** models of our highly detailed USRA hopper, lettered for a number of railroads that did not receive original USRA allocations, but did roster sizeable hopper car fleets.



**Baltimore & Ohio** - USRA 55-Ton Steel Twin Hopper


81-97001 \$29.95

**Baltimore & Ohio** - 6-Car USRA 55-Ton Steel Twin Hopper Car Set

81-90012 \$169.95

**Baltimore & Ohio** - 6-Car USRA 55-Ton Steel Twin Hopper Car Set

81-90013 \$169.95



## Features

- Intricately Detailed Durable ABS Body
- Metal Wheels and Axles
- Decorative Brake Wheels
- Separate Metal Handrails
- 1:87 Scale Dimensions
- Kadee® Compatible Couplers
- Detailed Undercarriage
- Fully Sprung Die-Cast 4-Wheel Metal Trucks
- Unit Measures: 4 3/4" x 1 3/4" x 1 1/2"
- Operates On 18" Curves



**Erie** - USRA 55-Ton Steel Twin Hopper

81-97003 \$29.95

**Erie** - 6-Car USRA 55-Ton Steel Twin Hopper Car Set

81-90016 \$169.95

**Erie** - 6-Car USRA 55-Ton Steel Twin Hopper Car Set

81-90017 \$169.95



**Western Maryland** - USRA 55-Ton Steel Twin Hopper

81-97002 \$29.95

**Western Maryland** - 6-Car USRA 55-Ton Steel Twin Hopper Car Set

81-90014 \$169.95

**Western Maryland** - 6-Car USRA 55-Ton Steel Twin Hopper Car Set

81-90014 \$169.95





# USRA 55-Ton Steel Twin Hopper



**Milwaukee Road** - USRA 55-Ton Steel Twin Hopper


81-97005 \$29.95

**Milwaukee Road** - 6-Car USRA 55-Ton Steel Twin Hopper Car Set

81-90020 \$169.95

**Milwaukee Road** - 6-Car USRA 55-Ton Steel Twin Hopper Car Set

81-90021 \$169.95



**Chicago NorthWestern** - USRA 55-Ton Steel Twin Hopper


81-97006 \$29.95

**Chicago NorthWestern** - 6-Car USRA 55-Ton Steel Twin Hopper Car Set

81-90022 \$169.95

**Chicago NorthWestern** - 6-Car USRA 55-Ton Steel Twin Hopper Car Set

81-90023 \$169.95



**Norfolk & Western** - USRA 55-Ton Steel Twin Hopper

81-97004 \$29.95

**Norfolk & Western** - 6-Car USRA 55-Ton Steel Twin Hopper Car Set

81-90018 \$169.95

**Norfolk & Western** - 6-Car USRA 55-Ton Steel Twin Hopper Car Set

81-90019 \$169.95



**Union Pacific** - USRA 55-Ton Steel Twin Hopper

81-97007 \$29.95

**Union Pacific** - 6-Car USRA 55-Ton Steel Twin Hopper Car Set

81-90024 \$169.95

**Union Pacific** - 6-Car USRA 55-Ton Steel Twin Hopper Car Set

81-90025 \$169.95



**Pittsburgh & West Virginia** - USRA 55-Ton Steel Twin Hopper 

80-97011 \$29.95

**Pittsburgh & West Virginia** - 6-Car USRA 55-Ton Steel Twin Hopper Car Set

81-90032 \$169.95

**Pittsburgh & West Virginia** - 6-Car USRA 55-Ton Steel Twin Hopper Car Set

81-90033 \$169.95



**Denver Rio Grande** - USRA 55-Ton Steel Twin Hopper 

81-97008 \$29.95

**Denver Rio Grande** - 6-Car USRA 55-Ton Steel Twin Hopper Car Set

81-90026 \$169.95

**Denver Rio Grande** - 6-Car USRA 55-Ton Steel Twin Hopper Car Set

81-90027 \$169.95



**Lehigh & New England** - USRA 55-Ton Steel Twin Hopper 

81-97010 \$29.95

**Lehigh & New England** - 6-Car USRA 55-Ton Steel Twin Hopper Car Set

81-90030 \$169.95

**Lehigh & New England** - 6-Car USRA 55-Ton Steel Twin Hopper Car Set

81-90031 \$169.95



**Central Railroad of Pennsylvania** - USRA 55-Ton Steel Twin Hopper 

81-97009 \$29.95

**Central Railroad of Pennsylvania** - 6-Car USRA 55-Ton Steel Twin Hopper Car Set

81-90028 \$169.95

**Central Railroad of Pennsylvania** - 6-Car USRA 55-Ton Steel Twin Hopper Car Set

81-90029 \$169.95

# Flat Cars

Between 1964 and 1975, Trailer Train (now known as TTX Co.) acquired a fleet of 5,000 modern 60' flat cars. Similar cars are rostered by most major U.S. railroads. Built by ACF, Thrall, and Pullman Standard, the TTX cars were assigned to various classes to handle loads as diverse as auto frames, logs, military vehicles, farm equipment, and construction equipment. Some were even modified to handle TTX's bread and butter, intermodal containers. Our model is based on the TTX class F60GH cars built in the mid-1970s by Pullman Standard. Equipped with four rows of tie-down tracks, two astride the center sill and one along each side, these wooden-decked cars are assigned to heavy-duty equipment service. Our model replicates the prototype's intricate details and is offered with several appropriate loads of heavy machinery.



**TTX**  
60' Wood Deck Flat Car w/163H Motor Grader  
80-98023 \$34.95

**Also Available:**  
60' Wood Deck Flat Car w/315C Hydraulic Excavator  
80-98031 \$34.95  
60' Wood Deck Flat Car w/950G Wheel Loader  
80-98015 \$34.95  
60' Wood Deck Flat Car  
80-98007 \$29.95



**Santa Fe**  
60' Wood Deck Flat Car w/315C Hydraulic Excavator  
80-98029 \$34.95

**Also Available:**  
60' Wood Deck Flat Car w/163H Motor Grader  
80-98021 \$34.95  
60' Wood Deck Flat Car w/950G Wheel Loader  
80-98013 \$34.95  
60' Wood Deck Flat Car  
80-98005 \$29.95



**Southern**  
60' Wood Deck Flat Car  
80-98006 \$29.95

**Also Available:**  
60' Wood Deck Flat Car w/163H Motor Grader  
80-98022 \$34.95  
60' Wood Deck Flat Car w/315C Hydraulic Excavator  
80-98030 \$34.95  
60' Wood Deck Flat Car w/950G Wheel Loader  
80-98014 \$34.95



**Union Pacific**  
60' Wood Deck Flat Car w/950G Wheel Loader  
80-98016 \$34.95

**Also Available:**  
60' Wood Deck Flat Car w/163H Motor Grader  
80-98024 \$34.95  
60' Wood Deck Flat Car w/315C Hydraulic Excavator  
80-98032 \$34.95  
60' Wood Deck Flat Car  
80-98008 \$29.95



**Burlington Northern**  
60' Wood Deck Flat Car  
80-98002 \$29.95

Also Available:  
60' Wood Deck Flat Car w/163H Motor Grader  
80-98018 \$34.95  
60' Wood Deck Flat Car w/315C Hydraulic Excavator  
80-98026 \$34.95  
60' Wood Deck Flat Car w/950G Wheel Loader  
80-98010 \$34.95

Each car is supplied with tie-down chains and load adjusters, which you can use to create a super-detailed load.

**Each Item Number is Available in SIX Different Road Numbers**



**Canadian National**  
60' Wood Deck Flat Car w/163H Motor Grader  
80-98019 \$34.95

Also Available:  
60' Wood Deck Flat Car w/315C Hydraulic Excavator  
80-98027 \$34.95  
60' Wood Deck Flat Car w/950G Wheel Loader  
80-98011 \$34.95  
60' Wood Deck Flat Car  
80-98003 \$29.95



**BNSF**  
60' Wood Deck Flat Car w/950G Wheel Loader  
80-98009 \$34.95

Also Available:  
60' Wood Deck Flat Car w/163H Motor Grader  
80-98017 \$34.95  
60' Wood Deck Flat Car w/315C Hydraulic Excavator  
80-98025 \$34.95  
60' Wood Deck Flat Car  
80-98001 \$29.95



**Great Northern**  
60' Wood Deck Flat Car w/315C Hydraulic Excavator  
80-98028 \$34.95

Also Available:  
60' Wood Deck Flat Car w/163H Motor Grader  
80-98020 \$34.95  
60' Wood Deck Flat Car w/950G Wheel Loader  
80-98012 \$34.95  
60' Wood Deck Flat Car  
80-98004 \$29.95

## Features

- Intricately Detailed Durable ABS Body
- Metal Wheels and Axles
- Fully Sprung Die-Cast Metal Trucks
- Decorative Brake Wheels
- Separate Metal Handrails
- 1:87 Scale Dimensions
- Simulated Wood Decking
- Kadee® Compatible Couplers
- Detailed Undercarriage
- Unit Measures: 8 7/8" x 3/4" x 1 1/2"
- Operates On 18" Radius Curves



# R40-2 Woodsided Reefer

**I** = Imagination and Fun

While we take pride in the prototype accuracy of most of our HO products, you will find items in this and future catalogs bearing a **I** designation (and item numbers with an "81" prefix) that may feature imaginary graphics or stray from historical accuracy. These **I** products are exciting and enjoyable for railroaders who like to use their imagination and just have some fun. Imagine if the BNSF developed a "Heritage Series" of locomotives like the Union Pacific. A SD70ACe in Santa Fe livery would be a knockout!



**Snickers** - R40-2 Woodsided Reefer  
81-94007 \$29.95

**Snickers** - 6-Car R40-2 Reefer Set  
81-90005 \$169.95

Set Car Numbers: 190804, 190805, 190806, 190807, 190808, 190809

©/TM SNICKERS and the SNICKERS logo are registered trademarks of Mars, Inc. and its affiliates. Used under license by Summit Resource Imports © Mars, Incorporated 2009



**Miller** - R40-2 Woodsided Reefer  
81-94003 \$29.95

**Miller** - 6-Car R40-2 Reefer Set  
81-90007 \$169.95

Set Car Numbers: 4234, 4235, 4236, 4237, 4238, 4239

© 2009 MillerCoors, LLC. All right reserved.

Produced under license by M.T.H. Electric Trains. This licensed product is intended for adults of legal drinking age.



**Milky Way** - R40-2 Woodsided Reefer

81-94008 \$29.95

**Milky Way** - 6-Car R40-2 Reefer Set

81-90006 \$169.95

Set Car Numbers: 190504, 190505, 190506, 190507, 190508, 190509

©/TM MILKY WAY and the MILKY WAY logo are registered trademarks of Mars, Inc. and its affiliates. Used under license by Summit Resource Imports © Mars, Incorporated 2009



**Coors** - R40-2 Woodsided Reefer

81-94004 \$29.95

**Coors** - 6-Car R40-2 Reefer Set

81-90008 \$169.95

Set Car Numbers: 19410, 19411, 19412, 19413, 19414, 19415

**Coors** - 6-Car R40-2 Reefer Set

81-90009 \$169.95

Set Car Numbers: 19420, 19421, 19422, 19423, 19424, 19425

© 2009 MillerCoors, LLC. All right reserved.

Produced under license by M.T.H. Electric Trains. This licensed product is intended for adults of legal drinking age.





**Dr. Pepper** - R40-2 Woodsided Reefer  
81-94009 \$29.95

**Dr. Pepper** - 6-Car R40-2 Reefer Set  
81-90002 \$169.95

Set Car Numbers: 230285 , 230286, 230287 , 230288 , 230289 , 230290

DR PEPPER is a trademark of Dr Pepper/Seven Up, Inc., used by M.T.H. Electric Trains under license. ©2009 Dr Pepper/Seven up, Inc.



**A&W** - R40-2 Woodsided Reefer

81-94006 \$29.95

**A&W** - 6-Car R40-2 Reefer Set

81-90003 \$169.95

Set Car Numbers: 191253, 191254, 191255, 191256, 191257, 191258

A&W is a trademark of A&W Concentrate Company, used under license by M.T.H. Electric Trains. ©2009 A&W Concentrate Company



**Iron City** - R40-2 Woodsided Reefer

81-94005 \$29.95

**Iron City** - 6-Car R40-2 Reefer Set

81-90004 \$169.95

Set Car Numbers: 186118, 186119, 186120, 186121, 186122, 186123



**Anheuser Busch** - R40-2 Woodsided Reefer

81-94002 \$29.95

**Anheuser Busch** - 6-Car R40-2 Reefer Set

81-90010 \$169.95

Set Car Numbers: 3376, 3377, 3378, 3379, 3380, 3381

**Anheuser Busch** - 6-Car R40-2 Reefer Set

81-90011 \$169.95

Set Car Numbers: 3382, 3383, 3384, 3385, 3386, 3387

"© 2009 Anheuser-Busch, Inc. All Rights Reserved."



**Rolling Rock** - R40-2 Woodsided Reefer

20-94001 \$29.95

**Rolling Rock** - 6-Car R40-2 Reefer Set

81-90001 \$169.95

Set Car Numbers: 193901, 193902, 193903, 193904, 193905, 193906

"© 2009 Anheuser-Busch, Inc. All Rights Reserved."



## Features

- Intricately Detailed Durable ABS Body
- Metal Wheels and Axles
- Decorative Brake Wheels
- Separate Metal Handrails
- 1:87 Scale Dimensions
- Kadee® Compatible Couplers
- Detailed Undercarriage
- Fully Sprung Die-Cast 4-Wheel Metal Trucks
- Unit Measures: 6 1/8" x 1 1/4" x 1 7/8"
- Operates On 18" Curves



# Operating Action Cars

**I** = Imagination and Fun

While we take pride in the prototype accuracy of most of our HO products, you will find items in this and future catalogs bearing a **I** designation (and item numbers with an "81" prefix) that may feature imaginary graphics or stray from historical accuracy. These **I** products are exciting and enjoyable for railroaders who like to use their imagination and just have some fun. Imagine if the BNSF developed a "Heritage Series" of locomotives like the Union Pacific. A SD70ACe in Santa Fe livery would be a knockout!

These new operating action and aquarium cars take their inspiration from popular O gauge cars issued in the 1950's. There were in fact a number of prototype cars built to carry live fish, perhaps the most famous being the Nautilus owned by Chicago's John G. Shedd Aquarium — but of course none had glass sides! Our new Operating Action cars feature backlit scenes that move as the car rolls by, with aquatic-themed cars featuring wavy glass to simulate water.



**Tropical Fish**  
Operating Action Car  
81-99005 \$54.95 **I**



**CHROME PLATED!**

**Coors Light**  
Operating Action Car  
81-99001 \$54.95 **I**



© 2009 MillerCoors, LLC. All rights reserved. Produced under license by M.T.H. Electric Trains. This licensed product is intended for adults of legal drinking age.



**Large Mouth Bass**  
Operating Action Car  
81-99008 \$54.95 **I**



**Harley-Davidson®**  
Operating Action Car  
81-99003 \$54.95 **I**




© 2009 H-D, All Rights Reserved.




**Maryland Crabs**  
Operating Action Car  
81-99006 \$54.95 **I**




**Budweiser**  
Operating Action Car  
81-99002 \$54.95 

"© 2009 Anheuser-Busch, Inc. All Rights Reserved."




**Lionel**  
Operating Action Car  
81-99009 \$54.95   
Licensed by Lionel L.L.C.



**M&M'S®**  
Operating Action Car  
81-99004 \$54.95 

©/TM M&M'S, the letter M and the M&M'S Characters are registered trademarks of Mars, Incorporated and its affiliates.  
©MARS, Incorporated 2009



**Sharks**  
Operating Action Car  
81-99007 \$54.95 

## Features

- Intricately Detailed Durable ABS Body
- Metal Wheels and Axles
- Fully Sprung Die-Cast 4-Wheel Metal Trucks
- Kadee® Compatible Couplers
- Decorative Brake Wheels
- 1:87 Scale Dimensions
- Unit Measures: 6 1/8" x 1 1/8" x 1 15/16"
- Operates On 18" Radius Curves




SEE IT IN  
**ACTION**  
ON THE WEB

[www.mthOtrains.com](http://www.mthOtrains.com)

See 'em in action: Visit our site to see videos of M.T.H. products in action, locate your nearest dealer, or learn more about our products.



**Davey Jones Pirates**  
Operating Action Car  
81-99010 \$54.95 

# Empire State Express Passenger Cars



The re-equipped 1941 *Empire State Express* represented the finest in comfortable daytime travel at an affordable price. In addition to the conductor, a uniformed stewardess helped passengers to their reserved coach or parlor car seats. Dining car service was augmented by a tavern-lounge-baggage at the front of the train and a tavern-lounge-observation at the rear. Thirty-two brand-new, stainless steel Budd streamliners were purchased by the New York Central to cover the service; 26 of the cars were named for New York governors, four of whom later became President, and one of whom — John Jay — was the first Chief Justice of the United States. To further the sense of pride in the history of the New York Central's home state, the cars' coral peach walls and blue-green upholstery were complemented by nearly 40 original mural paintings of historical scenes along the railroad's route.

New for 2009, M.T.H. announces accurate models of each type of car on the 1941 *Empire State Express*.

## Features

- Durable, Intricately Detailed ABS Bodies
- Metal Wheels and Axles
- Overhead Interior Lighting
- Detailed 4-Wheel Trucks
- Authentic Paint Scheme
- End-of-Car Diaphragms
- Separate Metal Handrails
- Detailed Car Interiors
- Kadee-Compatible Couplers
- Detailed Car Undercarriage
- 5-Car Sets Feature: (1) RPO-Baggage Car, (1) Parlor Car, (1) Coach, (1) Diner, (1) Tavern-Lounge-Observation
- Each Car Measures: 11 1/2" x 1 7/16" x 1 7/8"
- Operates On 22" Radius Curves



Empire State Express - 5-Car Passenger Set  
80-60025 \$329.95



Empire State Express - Tavern-Lounge-Baggage Car  
80-60026 \$69.95




Empire State Express - 2-Car Coach Passenger Set  
80-60027 \$134.95



Empire State Express - 2-Car Parlor/Diner Passenger Set  
80-60028 \$134.95



# 20th Century Limited Passenger Cars



Twentieth Century (1940) - 4-4-2 Sleeper Passenger Car  
80-60018 \$69.95

Twentieth Century (1938) - 4-4-2 Sleeper Passenger Car  
80-60022 \$69.95

## Features

- Durable, Intricately Detailed ABS Bodies
- Metal Wheels and Axles
- Overhead Interior Lighting
- Detailed 4-Wheel Trucks
- Authentic Paint Scheme
- End-of-Car Diaphragms
- Separate Metal Handrails
- Detailed Car Interiors
- Kadee-Compatible Couplers
- Detailed Car Undercarriage
- 5-Car Sets Feature: (1) RPO Car, (1) Dormitory-Lounge Coach, (1) 17 Roomette Sleeper, (1) Diner, (1) Observation
- Each Car Measures: 11 1/2" x 1 7/16" x 1 7/8"
- Operates On 22" Radius Curves

While the Pennsy's rival *Broadway Limited* equaled the *Twentieth Century's* speed and accommodations, the *Century* was the clear winner in the public's eye, usually running in two sections to meet demand while the *Broadway* ran with empty seats. In styling the interiors for the 1938 *Century*, Henry Dreyfuss made frequent use of subdued blues and grays and leather seating — creating an elegant setting to complement the exciting clientele that frequented the *Century*, a favorite of movie and theatre people and businessmen on the rise. One highlight was the dual-purpose dining cars, whose white linens were replaced with rust-colored table cloths when the cars became the "Café Century" night club after dinner.

The exterior styling of the cars, however, with blue, white, and gray striping, was soon perceived as too "busy." By 1940, the train had been repainted in an improved, slightly simpler scheme that eliminated the blue accents. New for 2009, M.T.H. announces accurate models of the last steam-hauled *Centuries*, in both the original 1938 and revised 1940 paint schemes.



Twentieth Century (1940) - 5-Car Passenger Set  
80-60017 \$329.95



Twentieth Century (1938) - 5-Car Passenger Set  
80-60021 \$329.95



Twentieth Century (1940) - 2-Car Sleeper Passenger Set  
 80-60019 \$134.95  
 Twentieth Century (1938) - 2-Car Sleeper Passenger Set  
 80-60022 \$134.95



Twentieth Century (1940) - 2-Car Sleeper Passenger Set  
 80-60020 \$134.95  
 Twentieth Century (1938) - 2-Car Sleeper Passenger Set  
 80-60023 \$134.95




# N&W Powhatan Arrow Passenger Cars



"Fine New Feathers for the NEW *Powhatan Arrow*" proclaimed a 1949 brochure for the N&W's premier passenger train, newly re-equipped with luxurious cars from Pullman-Standard. An all-coach daytime streamliner connecting tidewater Virginia to the Midwest, the *Arrow* covered the 676 miles between Norfolk and Cincinnati in under 16 hours behind the road's magnificent Class J steamers. Our 5-car set accurately models the train's regular consist of compartment (divided) coach, crew coach, regular coach, diner, and tavern-lounge-observation, while our add-on cars enable you to put on additional equipment when traffic warrants it, as the prototype did.

## Features

- Intricately Detailed Durable ABS Bodies
- Metal Wheels and Axles
- Overhead Interior Lighting
- Die-Cast 4-Wheel Trucks
- Authentic *Powhatan Arrow* Paint Scheme in Tuscan Red With Gold Trim
- End-of-Car Diaphragms
- Separate Metal Handrails
- Detailed Car Interiors
- Detailed Car Undercarriage
- Each Car Measures Approximately: 11 1/2" x 1 7/16" x 1 7/8"
- Operates On 22" Radius Curves








**Norfolk & Western- 5-Car Passenger Set**  
80-60013     \$329.95

**5-Car Sets Include:**

- (1) Compartment (Divided) Coach No. 511, (1) Crew Coach No. 501,
- (1) Coach No. 532, (1) Diner No. 491, (1) Tavern-Lounge-Observation No. 581



**Norfolk & Western**  
Diner No. 492  
80-60015     \$69.95



**Norfolk & Western**  
Coach No. 540  
80-60014     \$69.95

**Norfolk & Western**  
Coach No. 537 (not shown)  
80-60016     \$69.95



**Norfolk & Western**  
Compartment (Divided) Coach No. 511 (included in 5-car sets)



# Southern Pacific *Daylight* Passenger Cars



In 1941 the *Daylights* were re-equipped with new Pullman-Standard train sets that included articulated cars with full-width diaphragms and no bulkheads between the cars — presenting passengers with spacious interiors up to 130 feet long, in the case of the triple-unit coffee shop-kitchen-diner. Wide windows allowed chair car passengers to take in the glorious Pacific Coast scenery, and a rooftop radio antenna brought in news reports and music. Few passengers would argue with the Southern Pacific's claim that this was "the world's most beautiful train." M.T.H. offers these authentic Daylight train sets in the original Southern Pacific Lines livery or the later Southern Pacific livery that lasted well into the diesel era.

## Features

- Intricately Detailed Durable ABS Bodies
- Metal Wheels and Axles
- Overhead Interior Lighting
- Die-Cast 4-Wheel Trucks
- Authentic Paint Schemes
- End-of-Car Diaphragms
- Separate Metal Handrails
- Detailed Car Interiors
- Detailed Car Undercarriage
- Each Car Measures Approximately:  
11 1/2" x 1 7/16" x 1 7/8"
- Operates On 22" Radius Curves





**Southern Pacific**

Articulated Chair/Chair Passenger Car Set w/Antenna

80-60002 \$134.95

**Southern Pacific**

Articulated Chair/Chair Passenger Car Set w/Antenna

80-60003 \$134.95

**Southern Pacific Lines**

Articulated Chair/Chair Passenger Car Set w/Antenna

80-60008 \$134.95

**Southern Pacific Lines**

Articulated Chair/Chair Passenger Car Set w/Antenna

80-60009 \$134.95

Each car individually numbered — see online for numbering details.



**Southern Pacific**

Articulated Chair/Chair Passenger Car Set

80-60004 \$134.95

**Southern Pacific**

Articulated Chair/Chair Passenger Car Set

80-60005 \$134.95

**Southern Pacific Lines**

Articulated Chair/Chair Passenger Car Set

80-60010 \$134.95

**Southern Pacific Lines**

Articulated Chair/Chair Passenger Car Set

80-60011 \$134.95



**Southern Pacific**

Chair Car

80-60006 \$69.95

**Southern Pacific Lines**

Chair Car

80-60012 \$69.95



**Southern Pacific Lines - 8-Car Passenger Set**

80-60007 \$499.95



**Southern Pacific - 8-Car Passenger Set**

80-60001 \$499.95

**8-Car Sets Include:**

(1) Baggage, (1) Coffee/Kitchen/Diner Articulated Set, (1) Tavern Car, (1) Parlor Car, (1) Single Chair Pass Car, (1) Observation Car

# Operating Crossing Signals



Operating Crossing Signals  
80-10001 \$179.95

- Flashing warning lights
- Slow-motion crossing gates
- Ringing warning bell
- Guards up to four tracks



SEE AND HEAR 'EM IN  
**ACTION**  
ON THE WEB

For the first time, operating crossing signals come to the HO marketplace in an easy-to-install package that can be up and running in short order! Each die-cast crossing signal features flashing LED warning lights and the set includes warning bell sounds.

Each crossing signal is fully decorated and ready-to-install with just two mounting screws. The signals are controlled by a modular harness and activation lever that extend down through the base of the layout to easily installed control boxes. Like the signals themselves, each control box attaches to the underside of the platform with just two screws and features modular plugs to accept the harness from the signal.

Activation of the signals is handled through two sensors for each track. The crossing signal set can handle up to four tracks at once. The sensors are installed in the base of each track before and after the grade crossing by drilling a small hole through the track and platform. Insert the sensors up through the underside of the platform, plug in each sensor set to the master control box and you're ready to run!

## Features

- Die-Cast Construction
- Fully Assembled
- Fully Painted
- Motorized Under Table Control Boxes
- Controls 1 to 4 Tracks
- Multi-Direction Functionality
- Easily Installed In-Track Train Sensors
- Operating Bell With Volume Adjustment
- Flashing LED Warning Lights
- Modular Plug Connections For Easy Setup
- Installs On Benchwork Up To 1 1/2 Inches Thick
- Includes User Installed Track Signs For 1 to 4 Tracks
- Unit Measures: 2 1/8" High

## Optical Track Sensors

# Z-Series DC-350 Transformer



**35 Watt DC Transformer**  
40-350 \$79.95

If you're looking for a reliable HO power source, the Z-Series DC-350 transformer from M.T.H. Electric Trains is a perfect choice. Featuring 35 watts of power and a 16 volt AC accessory port, the UL approved DC-350 will comfortably run up to five HO locomotives.

Thanks to the AC accessory port, the DC-350 can throw turnouts or light up a town's building and house lights while still allowing your locomotives to challenge steep grades and pull long consists. The wide-range throttle knob on the DC-350 also ensures your locomotives will operate smoothly and realistically from a slow crawl to full throttle.

Equipped with momentum, brake and direction buttons, the DC-350 provides you with the control needed to conventionally operate your HO pike.

Operators using the DC-350 with M.T.H. HO locomotives equipped with Proto-Sound 3.0 have access to a special "M.T.H. Brake" mode that slowly stops the engine but keeps its lights and sound on. When the M.T.H. Brake is turned off, the locomotive will begin moving and slowly ramp up to the previous throttle setting.

## Features

- Controller LED On Light
- Overload Light
- Power On Switch
- Momentum Control
- Brake Control
- Direction Control
- Smooth Operating Throttle Knob
- Built-In Circuit Breaker Protection
- 35 Watt Power Supply w/16v AC Accessory Output Jacks
- 5-Year Limited Warranty
- 0-16 Volt DC Output Range
- U.L. Approved
- Unit Measures: 7 1/2" x 5 1/4" x 3 3/4"

## Smoke Fluid



### ProtoSmoke™ Fluid (7oz.)

Unscented	60-1045	\$12.95
Christmas	60-1046	\$12.95
Coal	60-1047	\$12.95
Diesel	60-1048	\$12.95
Woodburning	60-1049	\$12.95

### ProtoSmoke™ Fluid (2 Oz.)

Assortment (36 pieces)	60-1051	\$179.95
Christmas	60-1051-a	\$4.99
Coal	60-1051-b	\$4.99
Diesel	60-1051-c	\$4.99
Wood Burning (Hickory)	60-1051-d	\$4.99
Coffee	60-1051-e	\$4.99
Eggs & Bacon	60-1051-f	\$4.99
Vanilla	60-1051-g	\$4.99
Candy Cane	60-1051-h	\$4.99
Barbeque	60-1051-i	\$4.99
Pipe Smoke	60-1051-j	\$4.99
Cinnamon Roll	60-1051-k	\$4.99
Apple Pie	60-1051-l	\$4.99



# No Matter How You Run It

Your new Proto-Sound® 3.0 locomotive has more features than any engine you've ever owned

## Analog DC

With just an ordinary DC transformer, you get operating features unmatched by any other HO locomotives:

- **Synchronized puffing smoke and chuffing sounds:** billowing smoke correctly synchronized with the drivers at four puffs per revolution; at rest, smoke wafts out of the stack steadily, just like the prototype. As with smoke, chuffs are correctly timed, in sync with smoke puffs at four per driver revolution
- **Squealing brakes:** slow down quickly and hear the squeal of a brake application
- **Idle sounds:** at track voltages between about 6-8 volts, your engine idles and plays random maintenance sounds — like the whoosh of steam cocks being opened
- **Prototypical Rule 17 lighting:** the headlight dims automatically when the engine comes to a stop, and the tender light illuminates for backup moves
- **Speed control:** set any speed and your engine maintains it, regardless of load, hills, or curves
- **Automatically smooth reversing:** flip your transformer's reversing switch at any speed and watch your engine gradually come to a stop, turn on the appropriate directional lighting, and smoothly accelerate up to speed in the opposite direction



## DCC

If you operate with Digital Command Control (DCC), you'll find Proto-Sound 3.0 locomotives take full advantage of the capabilities of DCC and are completely compatible with all DCC motive power. In fact, Proto-Sound engines are already equipped to use DCC functions 0 through 28, even though controllers that access these NMRA standard functions are just now becoming available..

With today's standard DCC controllers, your Proto-Sound 3.0 engine has all the features available with analog DC and these additional functions activated by your controller:

- **Full command control**
- **Bell:** listen for the realistic last half ring when you release the bell button
- **Whistle/Horn:** depending on how long you blow the whistle or horn, you'll hear one of several different end signatures
- **PFA (Passenger and Freight Announcements):** passenger engines offer a complete passenger station arrival and departure sequence that you can activate on command; freight engines allow you to play a symphony of freight terminal sounds
- **Startup and shut down sounds**
- **Volume control**
- **Sound mute**
- **Smoke on/off**
- **Lighting on/off**
- **Plus 19 others**



(see page 1 or 8 for the complete list)

## DCS Commander

MTH's Digital Command System (DCS™) unlocks the full sound and operating potential of Proto-Sound 3.0. Insert a DCS Commander in the wires from your existing DCC system to the track and you can switch back and forth between DCC and DCS with the push of a button. Or use the Commander alone with your own DC power supply.

The DCS Commander offers intuitive control of multiple Proto-Sound engines; for each locomotive, more than 32 functions are available at the touch of a single, clearly-labeled button. In addition to the features available with DCC and analog DC, the DCS Commander unlocks a long list of Proto-Sound operating possibilities, including:

- **Speed adjustment in one-scale-mile-per-hour steps**
- **Independent feature control:** tune your engines' sound, lights, smoke and acceleration/deceleration settings
- **Smoke on/off**
- **Doppler sounds:** simulate the classic sound effect of a train approaching and then whizzing past
- **Accent sounds:** activate any one of 7 individual sounds, including forward and reverse signal sounds, coupler slack, engine start-up and shut-down, engine labor and drift
- **Activate Passenger Station and Freight Yard Sounds**
- **Individual locomotive control:** control up to 99 Proto-Sound 3.0 engines at the same time, on the same track
- **Selectable control configurations:** choose between analog DC, DCC\* and DCS modes

\* Customer-supplied DCC system required

## DCS Remote Control System

Run your entire layout from one wireless handheld — or several. With a DCS Remote Control System, you can operate up to 99 Proto-Sound 3.0 engines in command mode at the same time, with full access to all locomotive functions. Add an optional Accessory Interface Unit (AIU) and the same handheld controls hundreds of switches or accessories. For group operating sessions, equip each guest with their own full-featured handheld.

\*\*Unlike the DCS Commander, the DCS Remote Control System is not compatible with DCC systems.

## Two Choices of DCS



DCS Commander Controller  
50-1028 \$149.95

DCS Commander System  
w/100 watt power supply

50-1029 \$229.95



DCS Remote Control System  
50-1001 \$299.95  
(requires separate power supply)



# More Features Than Analog DC or DCC Command Control

**SMOKE** - Turns Smoke Unit on & off  
**HDLT** - Turns Headlights on & off  
**ENGINE SOUND** - Silences Engine Sounds  
**DOPPLER** - Activates Proto-Doppler™  
**PFA** - Activates Passenger/Freight Sounds

**SFS** - Plays Forward Signal Sound  
**SRS** - Plays Reverse Signal Sound  
**VOL+** - Globally increases all sounds  
**START UP** - Activates sound, smoke & lights  
**VOL-** - Globally decreases all sounds  
**SHUT DOWN** - Deactivates all sound, smoke & lights

**CONV** - Activates Conventional Mode  
**DCS** - Activates Command Mode  
**MOM** - Adjusts Engine Momentum  
**ADD** - Adds PS 3 engines

**EDIT**  
Edits engine addresses  
**DEL**  
Deletes engines  
**RESET**  
Resets PS 3 engines  
**PASS THRU**  
Sends DCC signals to track from DCC system\*\*

**SCS** - Plays coupler slack sound  
**LIGHTS** - Turns loco lights on & off  
**ALL** - Selects all engines  
**STA MODE** - Selects Station Mode  
**STA SEL** - Activates Station Stop sounds  
**STW** - Plays Train Wreck sound

**AUX 1-3**  
Auxiliary buttons  
**CPLR-F/CPLR-R\***  
Fires front & rear couplers  
**BOOST/BRAKE**  
Temporarily raises or lowers speed  
**LABOR/REV UP OR DRIFT/REV DN**  
Makes an engine sound like it's working harder (labored steam chuff or higher revving diesel) or easier (drifting chuff or lower revving diesel)

**E STOP** - Cuts power to all tracks  
**BELL** - Rings Bell  
**ENG** - Engine Menu (To Select and Control Engines)  
**SEL** - Selects or activates a setting

**LCD DISPLAY**  
**THUMBWHEEL**  
Sets throttle speed & voltage setting

**W/H** - Whistle/Horn  
**DIR** - Changes locomotive direction

The DCS Commander is the easiest way to access the dozens of command control functions already programmed into your M.T.H. HO locomotive. The Commander features clearly-labeled, one-button control of more than 32 engine functions; no function keys or special codes to remember; and more features than any DCC system made today. Use the engine menu to select and control up to 99 different DCS engines from a single Commander at the same time on the same track — or switch back to DCC or analog DC operation with the push of a button.



In DCS mode, the large LCD screen identifies your locomotive's number and provides readouts for scale speed and active features.



In conventional mode, the LCD provides track voltage and amperage level readouts, making the Commander a full-featured DC controller.

Adding a DCS Commander to your existing layout is simple: just insert it into the wires that connect your DC transformer or DCC system to the track. The Commander can accept any power input (AC, DC or DCC) and output analog DC with volt and current display. The Commander also acts as a passive conduit for your DCC signal until you press the button to switch to DCS or conventional operation.

Not all products depicted in this catalog are production models. In some cases, the items pictured may have been altered digitally. All items' graphic features and content are subject to change after publication. All product features may be verified on their retail packages. M.T.H. Electric Trains is in no way affiliated with any of the railroads featured in this catalog.

©2009, M.T.H. Electric Trains, 7020 Columbia Gateway Drive, Columbia Maryland 21046-1532 www.mthtrains.com 410-381-2580  
MTH Trademarks: M.T.H. Electric Trains®, M.T.H.®, MTH Railroaders Club™, Ives®, Loco-Sound™, Proto-Sound® 2.0, Proto-Sound® 3.0, Proto-Speed Control™, Proto-Doppler™, Proto-Dispatch™, Proto-Cast™, ProtoSmoke™, Proto-Coupler™, Proto-Effects™, RailKing®, Rugged Rails®, RailKing One-Gauge™, RailTown™, Tinplate Traditions™, ScaleTrax™, RealTrax®, Z-500™, Z-750™, Z-4000®, Z-1000™, Z-4000 Remote Commander™, DCS™ and the MTH Numbering System and all others indicated throughout this catalog.

M.T.H.'s DCS Digital Command System has received U.S. Patent No. 6,457,681. M.T.H.'s Proto-Sound® system has received U.S. Patent Nos 6,457,681 B1 (sound system), 6,457,681 B1 (Proto-Speed Control), 6,604,641 (Proto-Coupler), 6,280,278 (Proto-Smoke). M.T.H.'s RealTrax has received U.S. Patent No. 6,019,289. M.T.H.'s Z-4000 Transformer has received U.S. Patent Nos. 6,281,606 & 6,624,537. Some images used in this publication © 2009 www.clipart.com

Lionel Corporation Tinplate is licensed by Lionel® LCC  
© 2009 H-D. All Rights Reserved. Manufactured by M.T.H. Electric Trains under license from Harley-Davidson Motor Company.  
© 2009 M.T.H. Electric Trains, 7020 Columbia Gateway Drive, Columbia, Maryland 21046

© 2009 MillerCoors, LLC. All rights reserved. Produced under license by M.T.H. Electric Trains. This licensed product is intended for adults of legal drinking age

\*© 2009 Anheuser-Busch, Inc. All Rights Reserved.\*

®/™ M&M'S, the letter M and the M&M'S Characters are registered trademarks of Mars, Incorporated and its affiliates. © Mars, Incorporated 2009  
®/TM MILKY WAY and the MILKY WAY logo are registered trademarks of Mars, Inc. and its affiliates. Used under license by Summit Resource Imports © Mars, Incorporated 2009  
®/TM SNICKERS and the SNICKERS logo are registered trademarks of Mars, Inc. and its affiliates. Used under license by Summit Resource Imports © Mars, Incorporated 2009

DR PEPPER is a trademark of Dr Pepper/Seven Up, Inc., used by M.T.H. Electric Trains under license. ©2009 Dr Pepper/Seven up, Inc.  
A&W is a trademark of A&W Concentrate Company, used under license by M.T.H. Electric Trains. ©2009 A&W Concentrate Company


\* Operating couplers are available only on diesels at this time.

\*\* Customer supplied DCC system Required



# DCS... SIMPLY THE BEST WAY TO RUN A RAILROAD™

TRY IT at your local DCS Demo Center or learn more with a complimentary DVD on DCS & M.T.H. technology.



**Sign Up for Our E-News and Register for a Class "J" Drawing**



[www.mthhotrains.com/steam](http://www.mthhotrains.com/steam)

Take your favorite Proto-Sound® 2.0 or 3.0 locomotive to any demo center and experience the additional features your engine has with DCS Control.

To Find Your Nearest DCS Demo Center or Request Your Complimentary DVD Visit

## [www.mthHotrains.com](http://www.mthHotrains.com)



©2009 M.T.H. Electric Trains  
7020 Columbia Gateway Drive  
Columbia, Maryland 21046